

*Oreochromis niloticus*   正體中文

**System:** Freshwater

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Actinopterygii	Perciformes	Cichlidae

**Common name** Nile tilapia (English)

**Synonym** *Perca nilotica* , (Linnaeus, 1758)  
*Tilapia nilotica* , (Uyeno & Fujii, 1984)  
*Tilapia cancellata* , Nichols, 1923  
*Tilapia regani* , (Poll, 1932)  
*Tilapia eduardiana* , (Boulenger, 1912)  
*Tilapia calciati* , (Gianferrari, 1924)  
*Tilapia vulcani* , (Trewavas, 1933)  
*Tilapia inducta* , (Trewavas, 1933)  
*Oreochromis niloticus filoa* , (Trewavas, 1983)  
*Oreochromis niloticus sugutae* , (Trewavas, 1983)  
*Oreochromis niloticus baringoensis* , (Trewavas, 1983)  
*Oreochromis niloticus tana* , (Seyoum & Kornfield, 1992)  
*Chromis guentheri* , (Steindachner, 1864)

**Similar species** *Oreochromis mossambicus*, *Oreochromis aureus*

**Summary** *Oreochromis niloticus* (Nile tilapia) is a highly invasive fish that plagues a variety of ecosystems, particularly those located in the tropics. *Oreochromis niloticus*' effective mouthbrooding reproductive strategy allows it to increase in numbers at a rate which, not only crowds native species, but pollutes and unbalances the water column. *Oreochromis niloticus* is a frequently farmed aquatic species, due to its relative ease of culture and rapid reproduction rates. Most infestations are a result of aquaculture.



[view this species on IUCN Red List](#)

## Species Description

Compressed body; caudal peduncle depth equal to length. Cycloid scales. Lacks knobby feature on dorsal surface of snout. Sexual dimorphism not displayed in upper jaw length. First gill arch has 27 to 33 gillrakers. Interrupted lateral line (FAO, 2006; FAO, 2007). \"Spinous and soft ray parts of dorsal fin continuous; dorsal fin with 16 - 17 spines and 11 to 15 soft rays. Anal fin with 3 spines and 10-11 rays. Caudal fin truncated. Colour in spawning season: pectoral, dorsal and caudal fins becoming reddish; caudal fin with numerous black bars\" (FAO, 2006; FAO, 2007)

## Notes

Genetically Improved Farmed Tilapia (GIFT tilapia) is a selective breeding project that aims to increase the efficiency of tilapia aquaculture efforts. Spearheaded by the International Centre for Living Aquatic Resources Management, the UN Development Program, and the Asian Development Bank, GIFT tilapia is derived from natural *Oreochromis niloticus* stock (Day & Gupta, 2000). GIFT tilapia is "exceptionally hardy and requires little or no expensive high protein feed to grow quickly" (ICLARM, 2007). ICLARM's website also notes that "the fish eats anything, from grass clippings to vegetable matter and suspended solids" (ICLARM, 2007). GIFT grows 60% faster and demonstrates a 50% higher survival rate compared to its base species, *O. niloticus* (ICLARM, 2007). Researchers express concern about biodiversity issues stemming from unintentional introductions. GIFT tilapias reproduce at an extremely high rate, can withstand crowded conditions and can thrive in a variety of brackish, fresh and saltwater conditions (Canonico *et al.* 2005).

## Lifecycle Stages

Sexual maturity begins at 5-6 months. Nile tilapia (*Oreochromis niloticus*) can live up to 10 years and reach weights of 5kg (FAO, 2006; FAO, 2007).

## Uses

Nile tilapia (*Oreochromis niloticus*) is a hugely important fish in aquaculture. The development of sex-reversal procedures in the mid-1970's allowed farmers to maintain high density all male populations, thus avoiding stunted and unmarketable fish that often resulted from crowded mixed-sex tanks. The tilapia family (of which *O. niloticus* is a member) is the second most intensively farmed species in the world. China produces almost half of the world's tilapia crop, usually in the form of frozen whole fish (FAO, 2006; FAO, 2007). Tilapia is packaged in a variety of ways depending on the country of origin, including fresh or frozen fillets in "skin-on, skin-off, deep skinned, individually quick frozen, smoked, [or] sashimi..." forms (FAO, 2006; FAO, 2007).

## Habitat Description

Nile tilapia (*Oreochromis niloticus*) is a tropical fish. It exists in a variety of freshwater and brackish habitats. Diurnal species. Its preferred temperature is 31-36 degrees Celsius but can survive from 12-42 degrees Celsius. *O. niloticus* prefers shallow water (FishBase, 2007).

## Reproduction

Sexual maturity begins at 5-6 months. Spawning begins at 24 degrees Celsius (FishBase, 2007). Nile tilapia (*Oreochromis niloticus*) establishes a territory and digs a nest and then the females deposit eggs in the nest. After fertilisation by the male, the female collects eggs in her mouth and leaves. The female incubates the eggs in her mouth until hatching, approximately 1-2 weeks later (FAO, 2006; FAO, 2007). "After fry are released, they may swim back into her mouth" if threatened (FAO, 2006; FAO, 2007). Because of mouthbrooding techniques, the number of eggs per spawn is smaller than other pond species, but survival rates of young are comparatively higher. Males can fertilise eggs from a succession of females, and if there is no drop in temperature females can spawn continuously (FAO, 2006; FAO, 2007). In large scale aquaculture settings, reproduction takes place in a series of tanks and incubation spaces. Between 21-28 days of age, fish are given a food containing a male hormone that changes the sex of female members. Male specimens of *O. niloticus* grow twice as fast, and maintaining a mono-sex population avoids stunted growth of individuals due to overcrowding. Other farming techniques include pond culture, floating cage culture and recirculation tank methods (FAO, 2006; FAO, 2007).

## Nutrition

Nile tilapia (*Oreochromis niloticus*) is omnivorous. It feeds on phytoplankton, periphyton, aquatic plants, small invertebrates, benthic fauna, and detritus. *O. niloticus* can filter feed but it usually grazes the surface of periphyton mats (FAO, 2006; FAO, 2007).

## General Impacts

Giani & Figueredo (2005) write that "environmental problems may arise in aquatic environments after the introduction of *Oreochromis niloticus*" especially in areas with slow water renewal rates. Eutrophic water conditions frequently are a result of intensive *O. niloticus* production. *O. niloticus*' selective feeding regime can also unbalance algal constituents of the water column (Giani & Figueredo, 2005). Although aquaculture helps meet population protein needs and can be a path to economic gain, biodiversity must be recognized as the basis for sustainable production (Ogutu-Ohwayo and Balirawa 2006). Because *O. niloticus* reproduce at such a rapid rate, they overcrowd and out-compete native species. This loss of biodiversity leads to genetic erosion and greater susceptibility to disease (Mahmud-ul-Ameen, 2000).

## Management Info

**Preventative measures:** The use of potentially invasive alien species for aquaculture and their accidental release/or escape can have negative impacts on native biodiversity and ecosystems. [Hewitt et al. \(2006\) Alien Species in Aquaculture: Considerations for responsible use](#) aims to first provide decision makers and managers with information on the existing international and regional regulations that address the use of alien species in aquaculture, either directly or indirectly; and three examples of national responses to this issue (Australia, New Zealand and Chile). The publication also provides recommendations for a 'simple' set of guidelines and principles for developing countries that can be applied at a regional or domestic level for the responsible management of Alien Species use in aquaculture development. These guidelines focus primarily on marine systems, however may equally be applied to freshwater.

[Copp et al. \(2005\) Risk identification and assessment of non-native freshwater fishes](#) presents a conceptual risk assessment approach for freshwater fish species that addresses the first two elements (hazard identification, hazard assessment) of the UK environmental risk strategy. The paper presents a few worked examples of assessments on species to facilitate discussion. The electronic [Decision-support tools- Invasive-species identification tool kits that includes a freshwater and marine fish invasives scoring kit](#) are made available on the Cefas (Centre for Environment, Fisheries & Aquaculture Science) page for free download (subject to Crown Copyright (2007-2008)).

The dramatic rise in Nile tilapia (*Oreochromis niloticus*) aquaculture in the last two decades is considered a concern from a management perspective. Low-cost tilapia aquaculture operations are closely linked to reductions in water quality, since small scale farmers generally opt for cage culture, a method that interfaces directly with open water systems. This method is closely linked to water pollution issues as well as declines in native fish and aquatic plant populations. In Central America, most attempts to bring about local prosperity by tilapia farming have failed. While tilapia fetches a good price in American markets, native markets in countries like Nicaragua generally offer a lower quality and a rather unappetising fish product. Furthermore, tilapia often does not have a place in native diets (GISD, 2006).

**Preventative measures:** Mahmud-ul-Ameen (2000) writes that "tilapia may be recommended for those areas where native species are scarce or absent...[but] in a country...rich in diversity, introductions should be very restricted."

**Chemical** Faced with a tilapia threat, the island nation of Palau embarked on an eradication programme to remove tilapia from the country. A chemical (Rotenone) was applied directly to 5 infested sites. This effort was successful (Tilapia Eradication Project, 2004; Palau Biodiversity, undated).

**Cultural:** The island nation of Palau used education campaigns to warn the population about the negative impacts of tilapia infestation to local flora and fauna (Tilapia Eradication Project, 2004).

## Pathway

**Principal source:** [FAO. 2006. Cultured Aquatic Species Information Programme - \*Oreochromis niloticus\*. Text by Rakocy, J. E. In FAO Fisheries and Aquaculture Department \[online\]. Rome.](#)  
[FAO, 2007. Fisheries and Aquaculture Department. Species Fact Sheets \*Oreochromis niloticus\* \(Linnaeus, 1758\) FishBase., 2007. \*Oreochromis niloticus niloticus\* Nile tilapia: Summary](#)



# GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Oreochromis niloticus*

**Compiler:** National Biological Information Infrastructure (NBII) & IUCN SSC Invasive Species Specialist Group (ISSG)

**Review:** Pam Fuller USGS/BRD, Nonindigenous Aquatic Species Program, Florida Integrated Science Center, USA

**Publication date:** 2008-03-27

## ALIEN RANGE

[1] BANGLADESH  
[4] JAPAN  
[1] PHILIPPINES  
[1] SAINT LUCIA  
[1] THAILAND

[1] INDIA  
[1] PERU  
[1] REUNION  
[1] TAIWAN  
[6] UNITED STATES

**Red List assessed species 10: CR = 6; VU = 2; NT = 1; LC = 1;**

[Amphilophus zaliosus](#) **CR**

[Neolebias lozii](#) **CR**

[Oreochromis esculentus](#) **CR**

[Oreochromis mortimeri](#) **CR**

[Oreochromis variabilis](#) **CR**

[Atherinella jilaoensis](#) **CR**

[Oreochromis andersonii](#) **VU**

[Oreochromis macrochir](#) **VU**

[Oreochromis mossambicus](#) **NT**

[Pharyngochromis acuticeps](#) **LC**

## BIBLIOGRAPHY

**31** references found for *Oreochromis niloticus*

### Managment information

Canonico, Gabrielle C, Angela Arthington, Jeffrey McCrary and Michele L. Thieme., 2005. The effects of introduced tilapias on native biodiversity. *Aquatic Conserv: Mar. Freshw. Ecosyst.* 15: 463-483 (2005)

**Summary:** Available from: <http://www.gaianicaragua.org/Canonico%20et%20al%202005%20Aquatic%20Conservation.pdf> [Accessed 14 July 2008]

Centre for Environment, Fisheries & Aquaculture Science (CEFAS), 2008. Decision support tools-Identifying potentially invasive non-native marine and freshwater species: fish, invertebrates, amphibians.

**Summary:** The electronic tool kits made available on the Cefas page for free download are Crown Copyright (2007-2008). As such, these are freeware and may be freely distributed provided this notice is retained. No warranty, expressed or implied, is made and users should satisfy themselves as to the applicability of the results in any given circumstance. Toolkits available include 1) FISK- Freshwater Fish Invasiveness Scoring Kit (English and Spanish language version); 2) MFISK- Marine Fish Invasiveness Scoring Kit; 3) MI-ISK- Marine invertebrate Invasiveness Scoring Kit; 4) FI-ISK- Freshwater Invertebrate Invasiveness Scoring Kit and AmphISK- Amphibian Invasiveness Scoring Kit. These tool kits were developed by Cefas, with new VisualBasic and computational programming by Lorenzo Vilizzi, David Cooper, Andy South and Gordon H. Copp, based on VisualBasic code in the original Weed Risk Assessment (WRA) tool kit of P.C. Pheloung, P.A. Williams & S.R. Halloy (1999).

The decision support tools are available from:

<http://cefas.defra.gov.uk/our-science/ecosystems-and-biodiversity/non-native-species/decision-support-tools.aspx> [Accessed 13 October 2011]

The guidance document is available from [http://www.cefas.co.uk/media/118009/fisk\\_guide\\_v2.pdf](http://www.cefas.co.uk/media/118009/fisk_guide_v2.pdf) [Accessed 13 January 2009].

Cossios E. Daniel, 2010. Vertebrados naturalizados en el Perú: historia y estado del conocimiento (Naturalised vertebrates in Peru: history and state of knowledge) *Rev. peru. biol.* 17(2): 179 - 189 (Agosto 2010)

**Summary:** Available from: <http://sisbib.unmsm.edu.pe/BVrevistas/biologia/v17n2/pdf/a07v17n2.pdf> [Accessed 23 February 2011]

[Global Invasive Species Database. 2006. Oreochromis spp.](#)

**Summary:** Provides detailed background and management information on the tilapia family.

Available at: <http://www.invasivespecies.net/database/species/ecology.asp?fr=1&si=813&sts=>

Mahmud-ul-Ameen, 2000. Development of Guiding Principles for the prevention of impacts of alien species. Government Grant Proposal submitted to Bangladesh, Ministry of Environment and Forest.

**Summary:** This paper outlines necessary standards for developing a nationwide invasive species protocol. It also touches on a few examples of invasive species in Bangladesh and discusses ways in which they have affected the country's ecosystems.

[Massachusetts Institute of Technology, 2006. Fish fact sheets. Oreochromis aureus.](#)

**Summary:** This article provides information pertaining to the physical appearance, habitat, distribution, and invasive potential of the blue tilapia.

Available from: <http://massbay.mit.edu/seafood/tilapia.pdf> [Accessed July 20 2007]

[Mendoza, R.E.; Cudmore, B.; Orr, R.; Balderas, S.C.; Courtenay, W.R.; Osorio, P.K.; Mandrak, N.; Torres, P.A.; Damian, M.A.; Gallardo, C.E.; Sanguines, A.G.; Greene, G.; Lee, D.; Orbe-Mendoza, A.; Martinez, C.R.; and Arana, O.S. 2009. Trinational Risk Assessment Guidelines for Aquatic Alien Invasive Species. Commission for Environmental Cooperation. 393, rue St-Jacques Ouest, Bureau 200, Montreal \(Quebec\), Canada. ISBN 978-2-923358-48-1.](#)

**Summary:** In 1993, Canada, Mexico and the United States signed the North American Agreement on Environmental Cooperation (NAAEC) as a side agreement to the North American Free Trade Agreement (NAFTA). The NAAEC established the Commission for Environmental Cooperation (CEC) to help the Parties ensure that improved economic efficiency occurred simultaneously with trinational environmental cooperation. The NAAEC highlighted biodiversity as a key area for trinational cooperation. In 2001, the CEC adopted a resolution (Council Resolution 01-03), which created the Biodiversity Conservation Working Group (BCWG), a working group of high-level policy makers from Canada, Mexico and the United States. In 2003, the BCWG produced the Strategic Plan for North American Cooperation in the Conservation of Biodiversity. This strategy identified responding to threats, such as invasive species, as a priority action area. In 2004, the BCWG, recognizing the importance of prevention in addressing invasive species, agreed to work together to develop the draft CEC Risk Assessment Guidelines for Aquatic Alien Invasive Species (hereafter referred to as the Guidelines). These Guidelines will serve as a tool to North American resource managers who are evaluating whether or not to introduce a non-native species into a new ecosystem. Through this collaborative process, the BCWG has begun to implement its strategy as well as address an important trade and environment issue. With increased trade comes an increase in the potential for economic growth as well as biological invasion, by working to minimize the potential adverse impacts from trade, the CEC Parties are working to maximize the gains from trade while minimizing the environmental costs. Available from: English version: [http://www.cec.org/Storage/62/5516\\_07-64-CEC%20invasives%20risk%20guidelines-full-report\\_en.pdf](http://www.cec.org/Storage/62/5516_07-64-CEC%20invasives%20risk%20guidelines-full-report_en.pdf) [Accessed 15 June 2010]

French version: [http://www.cec.org/Storage/62/5517\\_07-64-CEC%20invasives%20risk%20guidelines-full-report\\_fr.pdf](http://www.cec.org/Storage/62/5517_07-64-CEC%20invasives%20risk%20guidelines-full-report_fr.pdf) [Accessed 15 June 2010]

Spanish version: [http://www.cec.org/Storage/62/5518\\_07-64-CEC%20invasives%20risk%20guidelines-full-report\\_es.pdf](http://www.cec.org/Storage/62/5518_07-64-CEC%20invasives%20risk%20guidelines-full-report_es.pdf) [Accessed 15 June 2010].

Ogutu-Ohwayo, Richard, and Balirwa, John. Management challenges of freshwater fisheries in Africa. Published in Lakes and Reservoirs: Research and Management. Volume 11, Issue 4. 2006.

**Summary:** This article outlines issues and management approaches to fisheries in Africa. It highlights positive and negative impacts of fish introductions and discusses the importance of biodiversity.

[Tilapia eradication Project. Government report for the Palau, prepared by Environmental Quality Protection Board. April 19, 2004](#)

**Summary:** Provides firsthand account of attempts at tilapia eradication using chemical means. Outlines project goals and plans for long term maintenance of tilapia free ecosystem.

Available at:

<http://72.14.209.104/search?q=cache:eqz6chioeyY:www.palau.biodiv-chm.org/upload/tilapia.pdf+palau+tilapia&hl=en&ct=clnk&cd=2&gl=us> [Accessed July 20 2007]

[Working paper on Palau's National Invasive Species strategy. Undated.](#)

**Summary:** Provides information about Palau's management attempts to eradicate tilapia from the island country.

Available from: <http://www.palau.biodiv-chm.org/upload/tilapia.pdf> [Accessed July 20 2007]

Zambrano, Luis, 2006. Invasive potential of common carp *Cyprinus carpio* and Nile tilapia *Oreochromis niloticus* in American Freshwater Systems. Published in *The Canadian Journal of Fish and Aquaculture Science*. Vol 63. 2006.

**Summary:** This paper discusses a extensive modeling program that located areas of possible and likely spread for the Nile tilapia.

## General information

[CONABIO. 2008. Sistema de información sobre especies invasoras en México. Especies invasoras - Peces. Comisión Nacional para el Conocimiento y Uso de la Biodiversidad. Fecha de acceso.](#)

**Summary:** English:

The species list sheet for the Mexican information system on invasive species currently provides information related to Scientific names, family, group and common names, as well as habitat, status of invasion in Mexico, pathways of introduction and links to other specialised websites. Some of the higher risk species already have a direct link to the alert page. It is important to notice that these lists are constantly being updated, please refer to the main page (<http://www.conabio.gob.mx/invasoras/index.php/Portada>), under the section Novedades for information on updates.

Invasive species - fish is available from: [http://www.conabio.gob.mx/invasoras/index.php/Especies\\_invasoras\\_-\\_Peces](http://www.conabio.gob.mx/invasoras/index.php/Especies_invasoras_-_Peces) [Accessed 30 July 2008]

Spanish:

La lista de especies del Sistema de información sobre especies invasoras de México cuenta actualmente con información acerca de nombre científico, familia, grupo y nombre común, así como hábitat, estado de la invasión en México, rutas de introducción y ligas a otros sitios especializados. Algunas de las especies de mayor riesgo ya tienen una liga directa a la página de alertas. Es importante resaltar que estas listas se encuentran en constante proceso de actualización, por favor consulte la portada (<http://www.conabio.gob.mx/invasoras/index.php/Portada>), en la sección novedades, para conocer los cambios.

Especies invasoras - Peces is available from: [http://www.conabio.gob.mx/invasoras/index.php/Especies\\_invasoras\\_-\\_Peces](http://www.conabio.gob.mx/invasoras/index.php/Especies_invasoras_-_Peces) [Accessed 30 July 2008]

Day, Madan, and Gupta, M.V. Socioeconomics of disseminating genetically improved Nile tilapia in Asia: an introduction. Published in *Aquaculture Economics and Management*, Vol 4, 2000.

**Summary:** This article provides an introduction to GIFT tilapia. A good overview of the selection process and uses of the fish.

[FAO \(Food and Agriculture Organization of the United Nations\). 2006. Cultured Aquatic Species Information Programme - \*Oreochromis niloticus\*. Text by Rakocy, J. E. In FAO Fisheries and Aquaculture Department \[online\]. Rome. Updated 19 May 2006. \[Cited 14 Jul 2008\].](#)

**Summary:** Available from: [http://www.fao.org/fishery/culturedspecies/Oreochromis\\_niloticus](http://www.fao.org/fishery/culturedspecies/Oreochromis_niloticus) [Accessed July 20 2007]

[FAO \(Food and Agriculture Organization of the United Nations\), 2007. Fisheries and Aquaculture Department. Species Fact Sheets \*Oreochromis niloticus\* \(Linnaeus, 1758\)](#)

**Summary:** Available from: <http://www.fao.org/fishery/species/3217> [Accessed July 20 2007]

[FishBase, 2007. Common names of \*Oreochromis niloticus niloticus\* Nile tilapia](#)

**Summary:** Available from:

<http://fishbase.org/comnames/CommonNamesList.php?ID=2&GenusName=Oreochromis&SpeciesName=niloticus+niloticus&StockCode=1> [Accessed 20 July 2007]

[FishBase, 2007. Countries where \*Oreochromis niloticus niloticus\* Nile tilapia is found](#)

**Summary:** Available from: <http://fishbase.org/Country/CountryList.php?ID=2&GenusName=Oreochromis&SpeciesName=niloticus+niloticus> [Accessed 20 July 2007]

[FishBase, 2007. Ecology of \*Oreochromis niloticus niloticus\* Nile tilapia](#)

**Summary:** Available from:

<http://fishbase.org/Ecology/FishEcologySummary.php?StockCode=1&GenusName=Oreochromis&SpeciesName=niloticus+niloticus> [Accessed 20 July 2007]

[FishBase, 2007. Ecosystems where \*Oreochromis niloticus niloticus\* Nile tilapia occurs](#)

**Summary:** Available from: <http://www.fishbase.org/trophiceco/EcosysList.cfm?ID=1387&GenusName=Oreochromis&SpeciesName=aureus> [Accessed 20 July 2007]

[FishBase, 2007. \*Oreochromis niloticus niloticus\* Nile tilapia: Summary](#)

**Summary:** Available from:

<http://fishbase.org/Summary/speciesSummary.php?ID=2&genusname=Oreochromis&speciesname=niloticus+niloticus> [Accessed 20 July 2007]

[FishBase, 2007. Reproduction of \*Oreochromis niloticus niloticus\* Nile tilapia](#)

**Summary:** Available from:

<http://fishbase.org/Reproduction/FishReproSummary.php?ID=2&GenusName=Oreochromis&SpeciesName=niloticus+niloticus&fc=349&StockCode=1> [Accessed 20 July 2007]

Giani, Alessandra, and Figueredo, Cleber. Ecological interactions between Nile tilapia (*Oreochromis niloticus*) and the phytoplanktonic community of the Furnas Reservoir (Brazil). Published by Blackwater Publishing Ltd. in *Freshwater Biology* Vol. 50, 2005.

**Summary:** This article analyzes the relationship and results of the introduction of *O. niloticus* to reservoir communities in Brazil. The authors discuss eutrophication and other alterations to the water column.

[International Center for Living Aquatic Resources Management \(ICLARM\). 2007. \*Oreochromis niloticus\*.](#)

**Summary:** This website is a good resource for general fisheries information. Includes links to specific discussions of GIFT development and culture.

Available from: [http://www.worldfishcenter.org/cms/list\\_article.aspx?catID=32&ddIID=76](http://www.worldfishcenter.org/cms/list_article.aspx?catID=32&ddIID=76) [Accessed July 20 2007]

Joshi, Ravindra C, Undated. Invasive alien species (IAS): Concerns and status in the Philippines.

**Summary:** This paper discusses concerns about declining biodiversity and invasive species in the Philippine islands.

Keith, P. 2002. Freshwater fish and decapod crustacean populations on Reunion island, with an assessment of species introductions. *Bull. Fr. Pêche Piscic.*, 364, 97-107.

**Summary:** Cet article propose un bilan de la connaissance des espèces de poissons et des crustacés décapodes présents dans les eaux douces de La Réunion avec une synthèse des espèces introduites.

Keith, P., Marquet, G., Valade, P., Bosc, P. & Vigneux, E. 2006. Atlas des poissons et crustacés d'eau douce des Comores, Mascareignes et Seychelles. MNHN, Patrimoines naturels, vol. 67, Paris, 158p.

Keith, P., Vigneux, E. & P. Bosc. 1999. Atlas des poissons et crustacés d'eau douce de la Réunion. Patrimoines Naturels (M.N.H.N./S.P.N.), 39 : 136pp.

[Muséum national d'Histoire naturelle \[Ed\]. 2003-2006. \*Oreochromis niloticus\*. Inventaire national du Patrimoine naturel, site Web :](#)

[http://inpn.mnhn.fr/Document/téléchargé/le\\_28\\_mars\\_2008\\_](http://inpn.mnhn.fr/Document/téléchargé/le_28_mars_2008_)

**Summary:** Available from:

[http://inpn.mnhn.fr/isb/servlet/ISBServlet?action=Espece&typeAction=10&pageReturn=ficheEspeceDescription.jsp&numero\\_taxon=200266](http://inpn.mnhn.fr/isb/servlet/ISBServlet?action=Espece&typeAction=10&pageReturn=ficheEspeceDescription.jsp&numero_taxon=200266) [Accessed March 2008]

[Nico, Leo G. and Pamela J. Schofield. 2007. \*Oreochromis niloticus\*. USGS Nonindigenous Aquatic Species Database, Gainesville, FL.](#)

**Summary:** This website provides a physical description as well as a detailed log on occurrences within the United States.

Available from: <http://nas.er.usgs.gov/queries/FactSheet.asp?speciesID=468> [Accessed July 20 2007]

Peterson, Mark S., William T. Slack, and Christa M. Woodley., 2004. Reproduction in Nonnative Environments: Establishment of Nile Tilapia, *Oreochromis niloticus*, in Coastal Mississippi Watersheds. Published in *Copeia*, Vol 4. 2004.

**Summary:** This paper discusses the effects of Nile tilapia's rapid reproduction on coastal Mississippi's ecosystems.

[van der Waal, Ben. 2007. Another fish on the way to extinction? ScienceinAfrica.com.](#)

**Summary:** This article provides insight into the relationship between Mozambique tilapia and Nile tilapia. It also highlights physical differences between the two species.

Available from: <http://www.scienceinAfrica.co.za/2002/january/tilapia.htm> [Accessed July 20 2007]