

## *Estrilda troglodytes*

**System:** Terrestrial

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Aves	Passeriformes	Estrildidae

**Common name** Black-rumped waxbill (English)

**Synonym**

**Similar species**

**Summary**



[view this species on IUCN Red List](#)

**Principal source:**

**Compiler:**

**Review:**

**Publication date:**

### ALIEN RANGE

[1] GUADELOUPE  
[1] MARTINIQUE  
[1] PUERTO RICO  
[1] UNITED KINGDOM

[1] JAPAN  
[1] PORTUGAL  
[1] SPAIN  
[2] UNITED STATES

**Red List assessed species 13: LC = 13;**

[Acrocephalus arundinaceus](#) LC  
[Carduelis carduelis](#) LC  
[Chloris chloris](#) LC  
[Locustella luscinioides](#) LC  
[Melanospiza bicolor](#) LC  
[Passer hispaniolensis](#) LC  
[Serinus serinus](#) LC

[Acrocephalus scirpaceus](#) LC  
[Cettia cetti](#) LC  
[Cisticola juncidis](#) LC  
[Luscinia megarhynchos](#) LC  
[Passer domesticus](#) LC  
[Remiz pendulinus](#) LC

### BIBLIOGRAPHY

3 references found for *Estrilda troglodytes*

#### Management information

##### General information

Lever, C. (2005). Naturalized Birds of the World. Bloomsbury, London.

[Mitch Waite Group \(2021\). Field Guide to Birds of North America, Species Overview: Black-rumped Waxbill](#)

Sanz-Aguilar A, Carrete M, Edelaar P, Potti J, Tella JL. (2015). The empty temporal niche: breeding phenology differs between coexisting native and invasive birds. *Biol Invas.* 2015;17:3275-88.