

Ploceus melanocephalus

System: Terrestrial

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Aves	Passeriformes	Ploceidae

Common name Black-headed weaver (English)

Synonym

Similar species

Summary



[view this species on IUCN Red List](#)

Principal source:

Compiler:

Review:

Publication date:

ALIEN RANGE

[1] BELGIUM
[1] IBERIAN PENINSULA
[1] PORTUGAL
[1] UNITED KINGDOM

[1] GERMANY
[1] ITALY
[1] SPAIN

Red List assessed species 12: LC = 12;

[Acrocephalus arundinaceus](#) LC
[Carduelis carduelis](#) LC
[Chloris chloris](#) LC
[Locustella luscinioides](#) LC
[Passer domesticus](#) LC
[Remiz pendulinus](#) LC

[Acrocephalus scirpaceus](#) LC
[Cettia cetti](#) LC
[Cisticola juncidis](#) LC
[Luscinia megarhynchos](#) LC
[Passer hispaniolensis](#) LC
[Serinus serinus](#) LC

BIBLIOGRAPHY

5 references found for *Ploceus melanocephalus*

Management information

Grundy, J.P.B., Franco, A.M.A. & Sullivan, M.J.P., (2014). Testing multiple pathways for impacts of the non-native Black-headed Weaver *Ploceus melanocephalus* on native birds in Iberia in the early phase of invasion. *Ibis*, 156, pp.355-365.
Sullivan, M.J.P. (2014). Predicting the distribution and impacts of non-native birds in the Iberian Peninsula. School of Environmental Sciences, University of East Anglia
[Sullivan, M.J.P., Grundy, J. and Franco, A.M.A. \(2014\). Assessing the impacts of the non-native Black-headed Weaver on native Acrocephalus warblers. *Ibis*, 156: 231-232. <https://doi.org/10.1111/ibi.12104>](#)

General information

Monticelli, D. (2008). Finding introduced birds near Lisbon, Portugal. *Birding World* 21
Sanz-Aguilar A, Carrete M, Edelaar P, Potti J, Tella JL. (2015). The empty temporal niche: breeding phenology differs between coexisting native and invasive birds. *Biol Invas*. 2015;17:3275-88.