

Cacatua galerita

System: Terrestrial

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Aves	Psittaciformes	Psittacidae

Common name

Synonym

Similar species

Summary



[view this species on IUCN Red List](#)

Principal source:

Compiler:

Review:

Publication date:

ALIEN RANGE

[1] PALAU

Red List assessed species 9: EN = 1; LC = 8;

[Alectryon excelsus](#) LC

[Beilschmiedia tawa](#) LC

[Dacrydium cupressinum](#) LC

[Leptospermum scoparium](#) LC

[Prosthemadera novaeseelandiae](#) LC

[Anthornis melanura](#) LC

[Dacrycarpus dacrydioides](#) LC

[Hemiphaga novaeseelandiae](#) LC

[Ponapea palauensis](#) EN

BIBLIOGRAPHY

7 references found for ***Cacatua galerita***

Managment information

[Auckland Council \(2020\) Auckland Regional Pest Management Plan 2020 - 2030, Auckland Council Environmental Services](#)

Costion CM, Kitalong AH, Perlman S and Edwards W (2013) Palau's rare and threatened palm *Ponapea palauensis* (Arecaceae): Population density, distribution, and threat assessment. *Pac. Sci.* 67:599 - 608.

Loope,LL, Howarth FG, Kraus F and Pratt TK (2001) Newly emergent and future threats of alien species to pacific birds and ecosystems. *Studies in Avian Biology* 22:291-304.

Runde DE, Pitt WC & Foster JT (2007) Population ecology and some potential impacts of emerging populations of exotic parrots. *Manag. Vertebr. Invasive Species. Pap.* 42. 42.

General information

Anon (2002) Sulphur Crested Cockatoo (*Kakatoe gelerita*), Horizons Regional Council.

Styche A (2000) Distribution and behavioural ecology of the sulphur-crested cockatoo (*Cacatua galerita* L.) in New Zealand. Unpublished. Victoria University of Wellington, New Zealand.

[Styche A \(2013\) Sulphur-crested cockatoo. In Miskelly, C.M. \(ed.\) New Zealand Birds Online](#)