

Tecoma capensis

System: Terrestrial

Kingdom	Phylum	Class	Order	Family
Plantae	Magnoliophyta	Magnoliopsida	Scrophulariales	Bignoniaceae

Common name Cape Honeysuckle (English), Bignone (French), Bouquet (French), jasmin du Cap (French), 'i'iwi haole (Hawaiian, Hawaiian Islands), técome (French), chèvrefeuille du Cap (French)

Synonym *Tecomaria capensis*, (Thunb.) Spach
Tecomaria capensis, subsp. *capensis*
Tecomaria capensis, subsp. *nyassae*
Bigonia capensis

Similar species

Summary *Tecoma capensis* consists of two subspecies within its native range; *Tecoma capensis* subsp. *capensis* which is found in South Africa, Swaziland and Mozambique, and *Tecoma capensis* subsp. *nyassae* which is found in Tanzania, The Democratic Republic of Congo, Angola, Zambia, Malawi and Mozambique. It is not known which subspecies however is that which is becoming invasive worldwide. Various countries have identified the species in their invasive species plans; Anguilla, Australia and New Zealand, however it is only on the island of Rangitoto in Auckland, New Zealand, where specific actions have been identified to contain the species. In Tanzania the species is found to have spread from unknown introduction around the Amani Botanical Gardens. Evidence from this study and from studies in New Zealand and Queensland, Australia suggests that the species spreads and becomes naturalised from being planted as an ornamental within landscaped areas.



[view this species on IUCN Red List](#)

Species Description

Native in tropical Africa, *Tecoma capensis* subsp. *nyassae* has a longer calyx than southern species *Tecoma capensis* subsp. *capensis*; over 10mm compared to up to 8mm. Also the tropical specimens can be easily recognised by their more vigorous growth and larger leaves with more and larger leaflets. *T. capensis* subsp. *nyassae* tends to grow as a tree, reaching heights of up to 7m, whereas *T. capensis* subsp. *capensis* grows more as a shrub (Brummitt, 1974). *T. capensis* is described by Whistler (2000; pp. 451-452; as seen in PIER, 2010) as "a vine-like shrub or shrub. Leaves odd-pinnately compound, opposite, leaflets of five to nine, blades ovate to round, 1-4 cm long with toothed margins. It flowers continuously through the year; flowers several, borne in short terminal racemes or narrow panicles. Corolla of fused petals, funnel-shaped, curved, 4-6 cm long, two-lipped with five oblong spreading lobes, bright orange or scarlet. Fruit are narrow linear capsules 7-18 cm long, containing many winged seeds"

Notes

Brummitt (1974) notes that eight species have been described in the *Tecomaria* genus, divided into five northern species and three southern species. Brenan (1954; as described in Brummitt, 1974) sunk the five northern species into one, *T. nyassae* (Oliv.) K. Schum., and White (1962; as described in Brummitt, 1974) sunk the three southern species into *T. capensis* (Thunb.) Spach.



GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Tecoma capensis*

Uses

Tecoma capensis is typically used for ornamental purposes (Healy, 1958; Queensland Herbarium, 2002; Dawson *et al.*, 2008).

Habitat Description

Tecoma capensis thrives in wet or dry areas and prefers a well-drained, fertile soil with a pH of 5.5-6.5 (Staples & Herbst, 2005; p. 189; as seen in PIER, 2010).

Reproduction

Tecoma capensis reproduces via both seed and runner (which root wherever they touch the ground) (Staples & Herbst, 2005; p. 189; as seen in PIER, 2010)

General Impacts

Various countries have identified *Tecoma capensis* in their invasive species plans; Anguilla, Australia and New Zealand. Specific actions have been identified to contain the species on the island of Rangitoto in Auckland, New Zealand (Wotherspoon & Wotherspoon, 2002). In Tanzania the species is found to have spread from unknown introduction around the Amani Botanical Gardens (Dawson *et al.*, 2008). Evidence from this study and from studies in New Zealand (Healy, 1958) and Queensland, Australia (Queensland Herbarium, 2002) suggests that the species spreads and becomes naturalised from being planted as an ornamental within landscaped areas.

Management Info

Preventative measures: A [Risk Assessment of *Tecoma capensis*](#) for Hawai'i and other Pacific islands was prepared by Dr. Curtis Daehler (UH Botany) with funding from the Kaulunani Urban Forestry Program and US Forest Service. The alien plant screening system is derived from Pheloung *et al.* (1999) with minor modifications for use in Pacific islands (Daehler *et al.* 2004). The result is a score of 6 and a recommendation of: "Likely to cause significant ecological or economic harm in Hawai'i and on other Pacific Islands as determined by a high WRA score, which is based on published sources describing species biology and behaviour in Hawai'i and/or other parts of the world."

Several other countries, Anguilla, Australia and New Zealand, have identified *T. capensis* within their invasive species plans. Specific actions have been identified to contain the species on the island of Rangitoto in Auckland, New Zealand (Wotherspoon & Wotherspoon, 2002). This includes containing the species to a zero-density over 5 years, and eradicating the species over a long-term of 15 years (Wotherspoon & Wotherspoon, 2002).

The Queensland Herbarium has created a "ranked list" of "Invasive Naturalised Plants in Southeast Queensland". *T. capensis* is ranked 166, with an invasiveness score of 4 out of 5 (5 highest; 3 moderate) and described as a small tree that has escaped from ornamental and landscape conditions (Queensland Herbarium, 2002)

Principal source:

Compiler: IUCN SSC Invasive Species Specialist Group (ISSG) with support from the Overseas Territories Environmental Programme (OTEP) project XOT603, a joint project with the Cayman Islands Government - Department of Environment

Review:

Publication date: 2010-06-08

ALIEN RANGE

[1] ANGOLA

[1] ANGUILLA

Global Invasive Species Database (GISD) 2024. Species profile *Tecoma capensis*. Available from: <https://iucngisd.org/gisd/species.php?sc=1591> [Accessed 01 September 2024]

Pag. 2

[2] AUSTRALIA
 [1] COOK ISLANDS
 [1] GUAM
 [1] MALAWI
 [2] NEW ZEALAND
 [1] PUERTO RICO
 [1] SAINT HELENA
 [1] UNITED STATES

[1] CONGO, THE DEMOCRATIC REPUBLIC OF THE
 [1] GIBRALTAR
 [1] INDIA
 [1] NEW CALEDONIA
 [1] NIUE
 [1] REUNION
 [1] TANZANIA, UNITED REPUBLIC OF
 [1] ZAMBIA

BIBLIOGRAPHY

19 references found for *Tecoma capensis*

Management information

[Csurhes, S & R. Edwards, 1998. Potential Environmental Weeds in Australia. Queensland Department of Natural Resources](#)

Summary: Available from: <http://www.weeds.gov.au/publications/books/pubs/potential.pdf> [Accessed May 1 2010]

[Dawson, Wayne., Ahmed S. Mndolwa., David F. R. P. Burslem., Philip E. Hulme., 2008. Assessing the risks of plant invasions arising from collections in tropical botanical gardens. Biodivers Conserv \(2008\) 17:1979-1995](#)

[Howell, Clayson., 2008. Consolidated list of environmental weeds in New Zealand. DOC Research & Development Series 292](#)

Summary: Available from: <http://www.doc.govt.nz/upload/documents/science-and-technical/drds292.pdf> [Accessed May 1 2010]

[IUCN/SSC Invasive Species Specialist Group \(ISSG\), 2010. A Compilation of Information Sources for Conservation Managers.](#)

Summary: This compilation of information sources can be sorted on keywords for example: Baits & Lures, Non Target Species, Eradication, Monitoring, Risk Assessment, Weeds, Herbicides etc. This compilation is at present in Excel format, this will be web-enabled as a searchable database shortly. This version of the database has been developed by the IUCN SSC ISSG as part of an Overseas Territories Environmental Programme funded project XOT603 in partnership with the Cayman Islands Government - Department of Environment. The compilation is a work under progress, the ISSG will manage, maintain and enhance the database with current and newly published information, reports, journal articles etc.

[Morton, F. Julia, 1976. Pestiferous spread of many ornamental and fruit species in Florida. Proc. Fla. State Hort. Soc. 89:348-353. 1976.](#)

Summary: Available from: [http://www.fshs.org/Proceedings/Password%20Protected/1976%20Vol.%2089/348-353%20\(MORTON\).pdf](http://www.fshs.org/Proceedings/Password%20Protected/1976%20Vol.%2089/348-353%20(MORTON).pdf) [Accessed May 1 2010]

[Pacific Islands Ecosystems at Risk \(PIER\), 2005. Tecoma capensis](#)

Summary: Available from: http://www.hear.org/pier/species/tecoma_capensis.htm [Accessed May 1 2010]

[Pacific Islands Ecosystems at Risk \(PIER\), 2005. Tecoma capensis Risk Assessment](#)

Summary: Available from: http://www.hear.org/pier/wra/pacific/tecoma_capensis_htmlwra.htm [Accessed May 1 2010]

[Queensland Herbarium, 2002. Invasive Naturalised Plants in Southeast Queensland, ranked list. Extracted from Batiannoff, George N. and Butler, Don W. \(2002\). Assessment of Invasive naturalized plants in south-east Queensland. Appendix. Plant Protection Quarterly 17, 27-34.](#)

Summary: Available from: <http://www.derm.qld.gov.au/register/p00727aa.pdf> [Accessed May 1 2010]

[Werren, Garry., 2001. Environmental Weeds of the Wet Tropics Bioregion: Risk Assessment and Priority Ranking. Report prepared for the Wet Tropics Management Authority, Cairns](#)

Summary: Available from: <http://www.wettropics.gov.au/res/downloads/Weeds.pdf> [Accessed May 1 2010]

[Wotherspoon and Wotherspoon, 2002. The evolution and execution of a plan for invasive weed eradication and control, Rangitoto Island, Hauraki Gulf, New Zealand. In Turning the tide: the eradication of invasive species: 381-388. Veitch, C.R. and Clout, M.N.\(eds\). IUCN SSC Invasive Species Specialist Group. IUCN. Gland, Switzerland and Cambridge, UK.](#)

Summary: Eradication case study in Turning the tide: the eradication of invasive species.

General information

[Brummitt, R. K., 1974. Variation and Distribution of the African Species *Tecomaria capensis* \(Bignoniaceae\). Bulletin du Jardin botanique national de Belgique / Bulletin van de National Plantentuin van België, Vol. 44, No. 3/4 \(Dec. 31, 1974\), pp. 419-423](#)

[Connor, A. Rhon, 2008. Anguilla Invasive Species strategy \(2008\) draft](#)

Summary: Available from: [http://www.gov.ai/documents/Anguilla%20Invasive%20Species%20Strategy%202008%20\(2\).pdf](http://www.gov.ai/documents/Anguilla%20Invasive%20Species%20Strategy%202008%20(2).pdf) [Accessed May 1 2010]

[Gray, Alan., Tara Pelembe and Stedson Stroud, 2005. The conservation of the endemic vascular flora of Ascension Island and threats from alien species. Oryx Vol 39 No 4 October 2005](#)

Summary: Available from: <http://www.ascensionconservation.org.ac/pdf/13-G-Gray-Pelembe-Stroud.pdf> [Accessed May 1 2010]

[Healy, A. J., 1958. Contributions to a Knowledge of the Adventive Flora of New Zealand, No 6. Transactions of the Royal Society of New Zealand. Vol 85, Part 4, pg 531-549, November 1958.](#)

Summary: Available from: http://rsnz.natlib.govt.nz/volume/rsnz_85/rsnz_85_04_005990.pdf [Accessed May 1 2010]

[Integrated Taxonomic Information System \(ITIS\), 2010. Tecoma capensis \(Thunb.\) Lindl.](#)

Summary: Available from: http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=505435 [Accessed May 1 2010]

[Reddy, K. Sudhakar, G. Bagyanarayana, K. N. Reddy, Vatsavaya S. Raju., 2008. Invasive aliens flora of India. Published by National Biological Information Infrastructure, USGS, USA](#)

Summary: Available from: http://www.gisnetwork.org/IndiaInvasivePlants/documents/assessment_Invasive_India-jan08.pdf [Accessed May 1 2010]

[The Gibraltar Ornithological & Natural History Society, undated. Botanic Gardens > Plants](#)

Summary: Available from: <http://www.gibraltar.gi/nature/?language=en&category=1&item=4> [Accessed May 1 2010]



GLOBAL INVASIVE SPECIES DATABASE

FULL ACCOUNT FOR: *Tecoma capensis*

USDA-ARS, 2010. Taxon: *Tecoma capensis* (Thunb.) Lindl. National Genetic Resources Program. Germplasm Resources Information Network - (GRIN) [Online Database]. National Germplasm Resources Laboratory, Beltsville, Maryland.

Summary: Available from: <http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?80086> [Accessed May 1 2010]

USDA-NRCS, 2010. *Tecoma capensis* (Thunb.) Lindl. Cape honeysuckle. The PLANTS Database (<http://plants.usda.gov>, 30 April 2010). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

Summary: Available from: <http://plants.usda.gov/java/profile?symbol=TECA8> [Accessed May 1 2010]