

MN (Minor) *Pipa parva*

<b>Date assessed</b>	2021-06-06
<b>Year published</b>	2021
<b>Eicat category</b>	MN (Minor)
<b>Justification for EICAT assessment</b>	<i>Pipa parva</i> was found in high densities in the invaded region and a stomach content study found that it feeds primary on benthic invertebrates (Measey and Royero 2005), however no population decline of the prey was reported.
<b>Confidence rating</b>	Low
<b>Mechanism(s) of maximum impact</b>	Predation
<b>Countries of most severe impact</b>	Venezuela
<b>Description of impact</b>	Predation - Stomach contents study found that <i>Pipa parva</i> had a diet of benthic invertebrates.
<b>Assessor</b>	John Measey
<b>Contributors</b>	Giovanni Vimercati; Sabrina Kumschick; Mohlamatsane Mokhatla; James Baxter-Gilbert; Corey Thorp; Alexander D. Rebelo; Sarah J. Davies; F. André de Villiers; Nitya Prakash Mohanty; Carla Wagener; Khensani Nkuna
<b>Reviewers</b>	EICAT authority
<b>Recommended citation</b>	John Measey. (2025). <i>Pipa parva</i> . <a href="https://iucngisd.org/gisd/species.php?sc=2020">IUCN Environmental Impact Classification for Alien Taxa (EICAT)</a> .

